

Rabies is a fatal virus which attacks the central nervous system of animals and people. **Law requires annual vaccination.** *Must be at least 12 weeks of age prior to administration.*

DHLPP (adult dog 5 in 1) **Vaccinate annually – must be boosted 3-4 weeks following initial vaccine.**

D – Distemper – an often fatal virus affecting the respiratory, gastrointestinal and nervous system.

H – Infectious hepatitis is another serious viral disease. The virus responsible for the disease is passed in the urine and causes liver and kidney infections.

L – Leptospirosis – a bacterial disease which can cause kidney damage, liver damage and hemorrhaging.

P – Parainfluenza – an occasionally fatal virus affecting the respiratory system.

P – Parvovirus – an often fatal virus which causes severe vomiting and diarrhea.

DHPP (puppy 5 in 1) **Booster every 3-4 weeks until at least 16 weeks of age.**

Includes the above with the following exceptions: no Leptospirosis;

Must be at least 6 weeks of age prior to administration.

Bordetella is a bacterial infection associated with kennel cough affecting the respiratory system. **Recommended for dogs who are boarded, groomed or exposed to other dogs on a regular basis.** *Must be at least 6 weeks of age prior to administration.*

FVRCP *Kittens must be at least 6 weeks of age prior to administration*

Booster every 3-4 weeks until 16 weeks of age and at 1 year intervals thereafter

FVR – Feline Viral Rhinotracheitis – a severe upper respiratory infection caused by a feline type 1, herpes-virus. The virus is airborne and very contagious.

C – Calicivirus – a virus which affects the upper respiratory system.

P – Panleukopenia (also known as feline distemper and infectious feline enteritis) – a highly contagious, often fatal Parvovirus which causes severe vomiting and diarrhea.

External Parasites

Fleas can cause severe allergic skin reactions and anemia in pets. Fleas can transmit tapeworms.

Ticks most commonly located in wooded areas. Ticks can transmit Lyme disease and Rocky Mountain Spotted Fever; they can cause paralysis as well as painful skin lesions.